

Holguin implements measures to confront Covid-19 spread

- Last Updated: Thursday, 14 January 2021 20:33

Written by Gobierno Provincial

Hits: 497

To suspend festive activities that may lead to overcrowding and indisciplines (parties, cabaret, bars, theaters, weddings and 15 birthday parties.

No entry of foreign artists allowed.

Maintain restaurants with physical spaces that allow approved distance, (no show or entertainment), prioritize the sale of food to take.

Reactivate points of entry to the province with the participation of officers of the Ministry of Interior, health crew, transport and all assurances.

Public transport get increases at rush hours, at 75% of capacity, with mandatory use of masks.

Limit public transport from 9 pm to 5 am.
Promote the use of distance working.

Apply modified lockdown measures in the most complex events in the most complicated municipalities: Holguin, Banes, Moa, Mayari Gibara and Calixto Garcia.

Increase research with medical science students, define students by health areas.

Create inspection teams as many as possible, for the control of compliance with prevention measures, integrated by crews from Inspection, the police and the Prosecutor's Office.

Social communication campaign, which raises the perception of risk and the responsibility of the population.

Review the supply of chlorine in warehouses and pharmacies to supply all households.

Incorporate foot filters in stores, schools and workplaces.

Mandatory use of masks in all places.

Increase research in schools and work places, health centers and other vulnerable centers.

Reorganize the work of the Provincial Laboratory of Molecular Biology to achieve greater opportunity in decision making.

Holguin implements measures to confront Covid-19 spread

- Last Updated: Thursday, 14 January 2021 20:33

Written by Gobierno Provincial

Hits: 497

Internal measures in health institutions, Primary Care and hospitals:
To suspend the activities of elderly people in doctors' offices.

Daily monitoring of the Elders living alone.

Reduction of consultations including hospitals to 50%.

Suspend visits to hospitals, and then establish a permanent companion for patients.

Suspension of visits to Maternity Homes.

Creation of a low-risk suspect hospital.

At stomatology services only emergency care.

Reinforce Ambulance Base 10 with an administrative transport for the transfer of suspects or non-urgent patients.

Social Institutions:

Suspend the service of the homes for the elderly.

Provide canteen service to the elderly who need it.

Elderly Home and Psychopedagogical Medical Center:

To reinforce the filter at the entrance of the institution, which includes a change of clothes. The research with thermometry must be done by the head nurse and the director of the institution.

Suspend the service of semi-boarding patients.

Provide canteen service to the elderly who need it.

Suspend elderly's leaves.

Suspend family visits to the elderly, guaranteeing communication with them.

Maintain the distance between elders.

Reinforcement measures in the mother-child program for the municipalities:

Together with the Primary Care System, it will be oriented to pregnant women with minimum mobility, avoid public transportation at rush hours

Holguin implements measures to confront Covid-19 spread

- Last Updated: Thursday, 14 January 2021 20:33

Written by Gobierno Provincial

Hits: 497

and comply with the general measures for the current situation.

In the consultations avoid overcrowding which will be achieved with staggered schedule and constant communication and control of the health care crews.

Pregnant women associated with the restaurants for people in need and other types of dining rooms will be placed under the canteen regime, which is collegiate with the local governments.

Maternity homes will suspend visits and activate the foot filters and the daily research.

Coordination for admission to maternity homes and obstetrics wards should be done with prior epidemiological assessment.

The transfer from and to their home municipalities must be done with previous epidemiological evaluation and knowledge of the health authorities.

Maintain information discipline at all established levels.